

This listing of the claims will replace all prior versions and listings of the claims in the application:

Listing of Claims:

1. (Previously presented) A battery-driven electronic device, comprising
means for detecting power consumption that is configured to establish present power consumption during operation of the device;
means for presenting data based on the established current power consumption;
means for calculating a level indicating parameter value representing the established current power consumption as a consumption level in a predetermined scale; and
wherein said presented data comprises an indication of said consumption level in said scale.
2. (Previously presented) The battery-driven device as recited in claim 1, wherein said presented data comprises said level indicating parameter value and a preset value of said scale.
3. (Previously presented) The battery-driven device as recited in claim 1, further comprising:
means for calculating remaining battery time based on the established current power consumption.
4. (Previously presented) The battery-driven device as recited in claim 3, wherein said presented data comprises an indication of the calculated remaining battery time based on a current mode of the device.
5. (Previously presented) The battery-driven device as recited in claim 1, wherein said means for presenting data comprises a display.

6. (Previously presented) The battery-driven device as recited in claim 1, wherein said device is a radio communication terminal.

7. (Previously presented) A computer program product for a battery-driven device comprising:

a computer readable storage medium having computer readable program code embodied therein, the computer readable program code comprising:

computer readable program code configured to detect present power consumption during operation of the device;

computer readable program code configured to calculate a level indicating parameter value representing the detected present power consumption as a consumption level in a predetermined scale; and

computer readable program code configured to present an indication of said consumption level in said scale.

8. (Previously presented) The computer program product as recited in claim 7, further comprising:

computer readable program code configured to present said level indicating parameter value and a predetermined end value of said scale.

9. (Previously presented) The computer program product as recited in claim 7 or 8, further comprising:

computer readable program code configured to calculate remaining battery time based on the detected present power consumption.

10. (Previously presented) The computer program product as recited in claim 9, further comprising:

computer readable program code configured to present an indication of the calculated remaining battery time based on a current mode of the device.

11. (Previously presented) The computer program product as recited in claim 7, wherein said computer readable program code configured to present comprises computer readable program code configured to present said indication of said consumption level in said scale on a display.

12. (Previously presented) The computer program product as recited in claim 7, wherein said battery-driven device is a radio communication terminal.